



锐鹰有限公司 FALCON EYES LTD.

地址 香港九龙红磡鹤园街2G号
恒丰工业大厦一期11字楼E1室

Address Unit E1, 11/F, Phase 1,
Hang Fung Building, 2G Hok Yuen Street,
Hung Hom, Kowloon, Hong Kong

Tel 852-2363-2825

Fax 852-2363-3856

Email info@falconeyes.com.hk

Website www.falconeyes.com.hk

鹰科影视器材厂

(YINGKE PHOTOGRAPHIC EQUIPMENT FACTORY)

地址 广东省东莞市凤岗镇黄洞村东深二路东升工业区3号厂房

3rd Building, Dongsheng Industrial Zone
(beside The 2nd Dongshen Road), Huangdong Village, Fenggang Town,
Dongguan City, Guangdong Province, China.

深圳市元科摄影器材有限公司

(SHENZHEN FOTOTECH PHOTOGRAPHIC EQUIPMENT CO.,LTD.)

地址 深圳市福田区福虹路世界贸易广场B座18D

Unit D, 18/F, Block B, Fuhong Road,
World Trade Plaza, Futian District, Shenzhen, China

Tel: +86 755 8250 0451 **QQ:** 2850141641 2850141642

Fax: +86 755 8288 6977 **Http://**www.fototech.com.cn

We reserve the rights to make any changes due to technical developments.

© Copyright ,Falcon Eyes Ltd.



锐鹰官方网站 (中国)



锐鹰官方网站 (香港)

锐鹰天猫官方旗舰店:
<https://falconeyes.tmall.com>

锐鹰官网:
<http://www.falconeyes.com.cn>

京东锐鹰摄影摄像专营店:
<http://mall.jd.com/index-193906.html>

Professional Broadcasting Accessories

专业影视配件

2018-2019
COLLECTION

www.falconeyes.com.hk





锐鹰简介 / ABOUT FALCONEYES

锐鹰有限公司成立于1993年，我们专注于摄影器材及影视灯光领域超过了20载。我们拥有一支富有专业知识及多年经验的研发团队！在生产方面，我们以拥有专业和先进的生产技术，我们都精选了最优质的、性能最优越的和高科技生产的影视器材产品与零件：

自主生产品牌

锐鹰FALCON EYES 锐鹰LED专业影视器材、影楼器材、照相器材及配件；

代理品牌

1、德国NOVOFLEX路华仕高级专业摄影云台系列产品；2、美国COLORTONE 加丽高级专业无缝背景纸。

所有电子产品都通过RoHS, Ce等环保及安全认证为我们全球的客户的产品品质的保证！

我们致力于“永远创新，追求卓越”的企业宗旨，再加上我们拥有二十多年影视器材的浓厚经验，热忱向全球各国的广大朋友服务。

FALCON EYES, founded in 1993, is a well-established manufacturer and exporter of full range of studio equipment with headquarters in Hong Kong. We are keen to pay attention and contribution to the photographic and studio equipment industry in order to satisfy our customer's proliferative needs. With over 20 years experience, our R&D team is very experienced in developing creative and innovative studio equipment which meet the needs of both professionals and amateurs. Our aim is to provide certificated (CE and RoHS), qualified products and exclusive design to our customers.

Manufacturer Brand

FALCON EYES (Hong Kong) -professional lighting equipment and accessories.

Distribution Brands

1. NOVOFLEX (Germany) -professional photography products. 2. COLORTONE (USA) -high quality seamless background paper.

Over a decade of development, FALCON EYES has built up a successful and world-wide, including Europe, America, Asia, Russia, Middle-East etc, distribution channel.

We are truly grateful for all staffs' contribution to our company. We would like to take this opportunity to thank all the business partners and photographers who have been supporting FALCON EYES for the last 20 years and the upcoming future. We are looking forward to meeting everyone in different imaging & broadcasting exhibitions (PHOTOKINA, IBC, NAB etc.).

CONTENTS

目录

灯架及天地柱系列 STAND AUTOPOLE

灯架系列 / LIGHT STAND	03
百变灯架系列 / LEGS ADJUSTABLE LIGHT STAND	08
天地柱系列 / AUTOPOLE	10
灯架横臂系列 / LIGHT BOOM	11
C型灯架及臂架 / C-STAND & HOLDER	13
背景架系列 / BACKGROUND STAND SERIES	16

静物台系列 PHOTO TABLE

拍摄台系列 / PHOTO TABLE	18
---------------------	----

柔光箱系列SOFTBOX SERIES

十六角柔光箱 / GIANT SOFTBOX 16 ANGLES	22
易撑柔光箱 / FOLDABLE SOFTBOXES	24
易撑雷达罩 / FOLDABLE BEAUTY DISH	25

反光板系列REFLECTOR

反光屏 / FLAG PANEL	28
折叠式反光板 / CR SERIES COLLAPSIBLE FLAG PANEL	29
旋转反光屏 / MOVABLE REFLECTOR PANEL	30
大型蜂巢屏 / GAIN T GRID PANEL	31
反光板 / REFLECTOR CLOTH	32

专业影视灯配件ACCESSORIES FOR STUDIO FLASH

配件套装 / ACCESSORIES SET	34
外闪宝 / ACCESSORIES KIT	36
相机闪光灯配件 / ACCESSORIES FOR FLASH GUN	38
专业影视灯配件 / ACCESSORIES FOR STUDIO FLASH	39
配件 / ACCESSORIES	40



灯架及天地柱系列

STAND AUTOPOLE

Light Stand

灯架系列

超大型灯架 Heavy Duty Light Stands



LM-1650HA/B

LM-1650HL/B

LM-3600HL/B

LM-4800HL/B



LM-3900HA/B

LM-6000HA/B

LM-7300HA/B

Model 型号	Section 节数	Max.Height 最高 (cm)	Min.Height 最低 (cm)	Collasped Height 收起高度 (cm)	Spread 展开Φ (cm)	Legs Diameter 腿直径Φ (mm)	Pole diameter 柱直径Φ (mm)	Stud Head(inch) 连接头	Net Weight 净重 (kg)	Loading Weight 承重(kg)
LM-1650HA/B	3	165	104	95	94	25	35.6 40 45	1/4"	3.25	(Section)1/2/3节, 30/22.5+/22.5
LM-1650HL/B	3	165	104	95	94	25	35.6 40 45	1/4"	3.25	(Section)1/2/3节, 30/22.5+/22.5
LM-2900HA/B	3	290	119	104	130	25	35.6 40 45	1/4"	3.7	(Section)1/2/3节, 22.5+/22.5/20
LM-3900HA/B	4	390	128	113	130	25	31.5 35.6 40 45	1/4"	4.2	(Section)1/2/3/4节 22.5+/22.5/20/12.5
LM-6000HA/B	5	600	170	150	160	25	28 31.5 35.6 40 45	1/4"	5.1	(Section)1/2/3/4/5节 22.5+/20/17.5/10/4
LM-7300HA/B	6	730	180	160	160	25	25 28 31.5 35.6 40 45	1/4"	5.5	(Section)1/2/3/4/5/6节 22.5+/15/10/7.5/3.25/2
LM-3600HL/B	3	360	160	140	160	25	35.6 40 45	1/4"	4.6	(Section)1/2/3节, 22.5+/22.5/20
LM-4800HL/B	4	480	170	150	160	25	31.5 35.6 40 45	1/4"	5.2	(Section)1/2/3/4节, 22.5+/22.5/17.5/10

大型灯架 Large Size Light Stands



L-2600G/B

L-2900G/B

L-3900G/B

Model 型号	Section 节数	Max.Height 最高 (cm)	Min.Height 最低 (cm)	Collasped Height 收起高度 (cm)	Spread 展开Φ (cm)	Pole diameter 柱管径Φ (mm)	Legs Diameter 腿直径(mm)	Stud Head(inch) 连接头	Net Weight 净重 (kg)	Loading Weight 承重(kg)	Air Cushion Model 带气垫型号
L-2600G/B	4	258	97	82	96	25 28 31.5 35.6	25	1/4" & 3/8" Interchangeable (Vertically Horizontally) 连接头可横向竖向	1.8	(Section)1/2/3/4节 20/15/8.5/2.5	L-2600GA
L-2900G/B	3	284	119	104	130	28 31.5 35.6	25		2.0	(Section)1/2/3/4节 20/15/8.5	L-2900GA
L-3900G/B	4	394	128	113	130	25 28 31.5 35.6	25		2.3	(Section)1/2/3/4节 20/15/8.5/2.5	L-3900GA

大型金属灯架 Metal Collar Large Size Light Stands



LM-2600G/B

LM-2900G/B

LM-3900G/B

Model 型号	Section 节数	Max.Height 最高 (cm)	Min.Height 最低 (cm)	Collasped Height 收起高度 (cm)	Spread 展开Φ (cm)	Legs Diameter 腿直径(mm)	Pole diameter 柱管径Φ (mm)	Stud Head(inch) 连接头	Net Weight 净重 (kg)	Loading Weight 承重(kg)	Air Cushion Model 带气垫型号
LM-2600G/B	4	258	97	82	96	22	25 28 31.5 35.6	1/4" & 3/8" Interchangeable (Vertically Horizontally) 连接头可横向竖向	2.1	(Section)1/2/3/4节 19+/14/10/7-	LM-2600GA/B
LM-2900G/B	3	284	119	104	130	22	28 31.5 35.6		2.3	(Section)1/2/3/4节 19+/14/10/7-	LM-2900GA/B
LM-3900G/B	4	394	128	113	130	22	25 28 31.5 35.6		2.6	(Section)1/2/3/4节 19+/14/10/7-	LM-3900GA/B

中型金属灯架 Metal Collar Medium Size Light Stands



LM-R2450MA/B

LM-R2600MA/B

LM-R3250MA/B

Model 型号	Section 节数	Max.Height 最高 (cm)	Min.Height 最低 (cm)	Collasped Height 收起高度 (cm)	Spread 展开Φ (cm)	Legs Diameter 腿直径(mm)	Pole diameter 柱管径Φ (mm)	Stud Head(inch) 连接头	Net Weight 净重 (kg)	Loading Weight 承重(kg)
LM-R2450MA/B	3	245	101	84	102	22	25 28 31.5		1.6	(Section)1/2/3节 19+/14/10
LM-R2600MA/B	4	260	97	70	96	22	22 25 28 31.5	1/4"	1.5	(Section)1/2/3/4节 19+/14/10/7-
LM-R3250MA/B	4	325	103	87	102	22	22 25 28 31.5		1.8	(Section)1/2/3/4节 19+/14/10/7-

小型灯架 Smaller Light Stands



L-1000/S

L-1100/B

L-2440A/B

L-3050A/B

Model 型号	Section 节数	Max.Height 最高 (cm)	Min.Height 最低 (cm)	Collasped Height 收起高度 (cm)	Spread 展开Φ (cm)	Pole diameter 柱管径Φ (mm)	Legs Diameter 腿直径(mm)	Stud Head(inch) 连接头	Net Weight 净重 (kg)	Loading Weight 承重(kg)	Air Cushion Model 带气垫型号
L-1000/S	3	100	14	42	60	16 19 22	-	1/4" or 3/8"	0.8	(Section)1/2/3节 6+/4/4-	-
L-1100/B	3	110	48	42.5	50	19 22 25	19	1/4" or 3/8"	1.1	(Section)1/2/3节 6+/6/4	-
L-2440/B	4	240	78	70	94	16 19 22 25	19	1/4" or 3/8"	2.0	(Section)1/2/3/4节 6+/6/4+/4	L-2440A
L-3050/B	4	305	99	83	98	16 19 22 25	19	1/4" or 3/8"	2.2	(Section)1/2/3/4节 6+/4+/4/3-	L-3050A

小型金属灯架 Metal Collar Small Size Light Stands



LM-R1100/B LM-R1500/B LM-R2440/B LM-R3000/B

Model 型号	Section 节数	Max.Height 最高 (cm)	Min.Height 最低 (cm)	Collasped Height 收起高度 (cm)	Spread 展开Φ(cm)	Legs Diameter 腿直径(mm)	Pole diameter 柱管径Φ (mm)	Stud Head(inch) 连接头	Net Weight 净重 (kg)	Loading Weight 承重 (kg)	Air Cushion Model 带气垫型号
LM-R1000/B	3	100	14	42	60	—	16 19 22	1/4" & 3/8"	2.0	(Section)1/2/3节 12/7/4-	—
LM-R1100/B	3	110	48	42.5	50	19	19 22 25	1/4" or 3/8"	0.9	(Section)1/2/3节 15/10/8	—
LM-R1500/B	4	148	53	52	52	19	16 19 22 25		1.0	(Section)1/2/3/4节 15/10/8/5-	—
LM-R2440/B	4	244	78	70	94	19	16 19 22 25		1.2	(Section)1/2/3/4节 15/10/8/5-	LM-R2440A/B
LM-R3000/B	4	305	79	83	98	19	16 19 22 25		1.4	(Section)1/2/3/4节 15/10/8/5-	LM-R3000A/B

铁制灯架 Metal Collar Light Stands



i-2001/B i-2501/B i-2601M/B

Model 型号	Section 节数	Max.Height 最高 (cm)	Min.Height 最低 (cm)	Collasped Height 收起高度 (cm)	Spread 展开Φ (cm)	Legs Diameter 腿直径(mm)	Pole diameter 柱管径Φ (mm)	Stud Head(inch) 连接头	Net Weight 净重 (kg)	Loading Weight 承重 (kg)
i-2001/B	3	200	82	70	86	16	16 19 22	1/4"	1.1	(Section)1/2/3节 6/4+/4
i-2501/B	4	250	82	70	86	19	16 19 22 25	1/4"	1.3	(Section)1/2/3节 6+/6/4+/4
i-2601M/B	3	260	105	92	112	22	25 28 31.5	3/8"	2.0	(Section)1/2/3节 12/10/8

反转金属灯架 Reverse Light Stands



LMC-1700 LMC-1900 LMC-2100(金属/Metal)

Model 型号	Section 节数	Max.Height 最高 (cm)	Min.Height 最低 (cm)	Collasped Height 收起高度 (cm)	Spread 展开Φ (cm)	Pole diameter 柱管径Φ (mm)	Legs Size 腿尺寸(mm)	Loading Weight 承重 (kg)
LMC-1700	4	170	61	56	70	16 19 22 25	5x15	(Section)1/2/3/4节 13/9/6-/3-
LMC-1900	4	190	61	57	70	16 19 22 25	5x15	(Section)1/2/3/4节 13/9/6-/3-
LMC-2100	4	194	61	54	70	20 23 26 30	5x15	(Section)1/2/3/4节 13/9/6/3

吊顶延长杆 T-06/B

Ceiling Extension Boom



Model No. 型号	T-06/B
Sections 节数	2
length (cm) 长度	40-62
Pole diameter Φ (cm) 柱管径	22、25
Net weight (kg) 重量	0.5
Loading Weight(kg) 承重	3



百变灯架 L-2440A-L1

Legs Adjustable Light Stand



百变灯架 L-2600GA-L1

Legs Adjustable Light Stand



单腿可调角度型 (Leg Adjustable Light Stand)

Model 型号	L-2440-L1	L-2600G-L1	LM-R2440-L1	LM-R2600M-L1
Section 节数	4	4	4	4
Max.Height 最高 (cm)	240	258	240	260
Min.Height 最低 (cm)	78	97	78	97
Collasped Height 收起高度 (cm)	70	82	70	70
Spread 展开Φ (cm)	94	96	94	96
Max.Spread 最大直径Φ (cm)	-	-	-	-
Legs Diameter 腿直径(mm)	19	25	19	22
Number of adjustable legs 可调角度的支撑腿数目	1	1	1	1
Leg of angle 腿扬起角度	0°-90°			
Pole diameter 柱管径Φ (mm)	16 19 22 25	25 28 31.5 35.6	16 19 22 25	22 25 28 31.5
Collar 管套	Plastic 塑料	Plastic 塑料	Metal 金属	Metal 金属
Stud Head(inch) 连接头	1/4" or 3/8"	1/4" & 3/8"	1/4" or 3/8"	1/4"
Net Weight 净重 (kg)	1	1.8	1.2	1.5
Loading Weight 承重 (kg)	4	8	4	8
Air Cushion Model 带气垫型号	L-2440A-L1	L-2600GA-L1	LMR-2440A-L1	LM-R-2600MA-L1
Aluminium Tube Colour 铝管颜色	银/黑色 silver/black	银/黑色 silver/black	只有黑色 black	只有黑色 black

天地柱 Autopole



Model 型号	Section 节数	Height 高度	Pole diameter 柱管径Φ	Collapsed Height 收起高度	Spread 展开Φ	Legs Diameter 腿直径(mm)	Net Weight 净重
AP-3280T	3	230-328cm	(35.6 31.5)mm	138cm	96cm	25	1.8kg
AP-4200T	4	230-420cm	(35.6 31.5)mm	138cm	96cm	25	2kg
AP-3280	3	230-328cm	(35.6 31.5)mm	138cm	-	-	1.5kg
AP-4200	4	230-420cm	(35.6 31.5)mm	138cm	-	-	1.7kg
AP-3500H	3	150-350cm	(45 40)mm	145cm	-	-	3.5kg
AP-3500HT	3	150-350cm	(45 40)mm	145cm	96cm	25	4kg
AP-4500H	4	150-450cm	(45 40)mm	145cm	-	-	4.3kg
AP-4500HT	4	150-450cm	(45 40)mm	145cm	130cm	25	4.5kg

横臂套装 Light Booms

Light Booms allow you to mount studio lights in all angles and directions. They are user-friendly, convenient to use, and portable.



Model 型号	LSB-2	LSB-3	LSB-4	LSB-5
Stand Sections 高度	108-186	80-225	108-284	119-290
Stand Sections 节数	2	3	3	3
Stud Head(inch) 连接头	-	1/4 or 3/8	1/4 & 3/8	1/4 & 3/8
Boom Length(cm) 臂长	121-211	75-139	121-211	228
Boom Sections 臂节数	2	2	2	2
Pole diameter 柱管径Φ (mm)	31.5 35.6	19 22 25	28 31.5 35.6	35.6
Counter Wt(kg) 配重	5	0.2	0.3	0.3
Clamp 管夹(mm)	16 22 28 31.5	19 22 25 28	25 28 32 36	35
Weight(kg) 重量	7.8	2.5	3.5	5.7

横臂 Boom Arm



Model 型号	LB-22H	LB-32M	LB-36M	LB-36F
Boom Length(cm) 臂长	75-139	121-211	121-211	230
Boom Sections 臂节数	2	2	2	两节可拆卸 Two sections detachable
Pipe diameter 管径Φ (mm)	22 25	28 31.5	31.5 35.6	35.6
Stud Head(inch) 接头	1/4 or 3/8	1/4 or 3/8	1/4 or 3/8	1/4 & 3/8
Counter Wt(kg) 配重	0.2	5	0.3	0.3
Clamp 管夹(mm)	19 22 25 28	16 22 28 31.5	25 28 32 36	35
Weight(kg) 重量	1	5.8	1.5	2

灯架脚轮 Caster Set



PCA-19M(可夹19mm管径)
Mounting from 19mm

PCA-22M(可夹22mm管径)
Mounting from 22mm

PCA-25M(可夹25mm管径)
Mounting from 25mm

C型灯架及臂架 C-Stand & Holder



Model 型号	CS-1920	CS-2450	CS-2700L	CS-2960	CS-3200	CS-3200L
Light Stand 灯架	192cm	245cm	270cm	296cm	320cm	320cm
Boom 横杆	100cm	100cm	100cm	100cm	130cm	100cm

注意：CS-L系列的脚和柱架是一体式，不可分离
Note: Legs and stand can't be separated for CS-L series



C型灯架 C-Stand



CST-19




CST-29



Model 型号	CST-19	CST-24	CST-27L	CST-29	CST-32L
Height 高度	192cm	245cm	270cm	296cm	320cm
Pole diameter 柱管径Φ	Φ25/Φ30/Φ35	Φ25/Φ30/Φ35	Φ25/Φ30/Φ35	Φ25/Φ30/Φ35	Φ25/Φ30/Φ35

注意：CS-L系列的脚和柱架是一体式，不可分离
Note: Legs and stand can't be separated for CS-L series

反光板臂 Reflector Holder



PRTK-2436
Tri-Reflector Holder



RBC-2844
(28-44"/71-122cm)



RB-22RH
(Max Length:120cm)



RBH-2258(22-58"/56-148cm)
RBH-2566(25-66"/63-168cm)
反光板夹可调节(Adjustable clips)




RBT-2258(22-58"/56-148cm)
RBT-2566(25-66"/63-168cm)
反光板夹可调节(Adjustable clips)



RB-RRH
RH-45
(Max Length:140cm)

WB-1250/1690

Wall Booms入墙臂架



Model No. 型号	WB-1250	WB-1690
length (cm) 长度	75-125	96-169
Boom sections 节数	2	2
Stud (inch) 连接头	1/4 & 3/8	1/4 & 3/8
Diameter(mm) 管径Φ	31.5 / 35.6	31.5 / 35.6
Loading Weight(kg) 承重	8	7
Net weight(kg) 净重量	2.9	3.2



WB-1250+CL-22 / WB-1690+CL-22



WB-1250+CL-40 / WB-1690+CL-40

WB-2100 Wall Booms入墙臂架



Stretch Range 拉伸范围	Sway Range 摆幅	Loading Capacity 受力测试		Net Weight 产品净重
Max. Length 最长2.1m	Top to Bottom 上至下170°	Stretch Length 伸缩长度	Loading Weight 承重	3.3kg
		1.2m	20kg	
Min. Length 最短1.2m	Left to right 左至右180°	1.4m	10kg	
		1.6m	8kg	
		2.1m	5kg	



C形架 Curved Camera Bracket



FB-C300



BPK背景纸套装

BPK Series Background Support Kits

KIT Model 型号	BPK-1	BPK-2	BPK-3
Light Stand 脚架	1 x LT-2000	1 x LT-2000	1 x LT-2000
Light Stand Accessories 背景钩	1 x LA-HA		
Cross Bar 横杆	1 x CB-90	2 x CB-90	3 x CB-90
Background paper (0.9 x 1.4m) 背景纸	1 x ROLL	2 x ROLL	3 x ROLL




所有锐鹰背景纸的颜色均可选 Available colors for selection



SPK背景纸套装

SPK Series Background Support Kits with Elevator



KIT Model 型号	SPK-1	SPK-2	SPK-3
Background support 背景架	I-2601H x 2	I-2601H x 2	I-2601H x 2
Background holder 背景钩	1 x CBH-5	2 x CBH-5	3 x CBH-5
Reeling set 背景轴	1 x B-REEL	2 x B-REEL	3 x B-REEL
Background paper (1.38 x 11m) 背景纸	1 x ROLL	2 x ROLL	3 x ROLL



所有锐鹰背景纸的颜色均可选 Available colors for selection



背景架套装

Background Supports Kit

型号 Model	Height(m)/Sections 高度(m)/节数	Width(m)/Sections 宽度(m)/节数	Pole diameter 柱管径Φ(mm)
B-808H	0.77-2.4/4	1.7-2.52 (3 Sections)	16,19,22,25
B-8510H	1.00-2.6/4	1.6-3.15 (4 Sections)	25,28,31.5,35.6
B-910H	1.19-2.84/3	2.1-3.15 (3 Sections)	28,31.5,35.6
B-1313H	1.28-3.94/4	2.1-4.20 (4 Sections)	25,28,31.5,35.6




不包含背景纸 (Does not include background paper)



背景杆 Cross Bar

CB-2520-3/CB-3150-3/CB-3150-4/CB-3150F/H-3/CB-4030-3/CB-4200-4



不包含灯架 (Does not include light stand)

CB-2520-3	(Φ25mm,3sections:2.52m), Silver
CB-3150-3	(Φ31.5mm,3sections:3.15m), Silver
CB-3150-4	(Φ31.5mm,4sections:3.15m), Silver
CB-3150F/H-3	(Φ31.5,28,25mm,3sections:3.1m), Silver
CB-4030-3	(Φ40mm,3sections:3m), Black
CB-4200-4	(Φ31.5mm,4sections:4.2m), Silver



CB-3150-3

CB-3150F

ST-0611CT

60x110cm



Model 型号	ST-0611CT
Plastic Board 摄影板	60 x 110cm
Panel Height 板离地高度	60cm
Max Length 板长	112cm
Width 板宽	60cm
Poles 管径	19mm
Carrying Bag 提袋	1
Weight bearing 承重	5KG

Model 型号	Dimensions 尺寸	NetWeight 净重
SP-0615T	60 x 150cm	1.65kg
SP-0410T	40 x 100cm	0.6kg



CL-35



CL-CLIP5



SP-0615T / SP-0410T

ST-1020A

100x200cm



Model 型号	ST-1020A	ST-0613T
Plastic Board 摄影板	100 x 200cm	60 x 130cm
Panel Height 板离地高度	60-110cm	60cm
Max Length 板长	200cm	130cm
Width 板宽	100cm	60cm
Poles 管径	25 31.5mm	19mm
Carrying Bag 提袋	1	1
Weight bearing 承重	12KG	7KG



大型静物台ST-1324

130x240cm



Model 型号	ST-1324
Plastic Board 摄影板	130 x 240cm
Panel Height 板离地高度	80cm
Max Length 板长	240cm
Width 板宽	130cm
Poles 管径	35.6mm
Carrying Bag 提袋	1
Weight bearing 承重	15KG



CL-35AL



ST-0613Ti 60x130cm



Model 型号	ST-0613Ti
Plastic Board 摄影板	60 x 130cm
Panel Height 板离地高度	60cm
Max Length 板长	130cm
Width 板宽	60cm
Poles 管径	19mm
Carrying Bag 提袋	1
Weight bearing 承重	7KG



拍摄台系列

PHOTO TABLE

ST-0610

60 x 100cm



Model 型号	ST-0610	Width 板宽	60cm
Plastic Board 摄影板	60 x 105cm	Poles 管径	16 x 16mm
Panel Height 板离地高度	23cm	Weight bearing 承重	4KG
Max Length 板长	105cm		



ST-0405 40 x 50cm



Model 型号	ST-0405	Width 板宽	40cm
Plastic Board 摄影板	40 x 50cm	Poles 管径	16 x 16mm
Panel Height 板离地高度	4cm	Weight bearing 承重	3KG
Max Length 板长	50cm		



翻拍台Copy Stand CS-730



柔光箱系列

SOFTBOX SERIES

十六角多用途柔光箱 Giant Softbox 16 Angles

全新的16-ASB系列是大型16骨柔光箱，柔光箱设计更强的深度，中轴装灯的设计令它能做到反射光效果，以提供更集中的柔和光线。摄影师在使用时，放在摄影师身后做为主光源，能完美的拍出模特的眼神光效果，使人物更传神更立体。


The new 16-ASB series is a large 16-bones softbox, the softbox itself is designed with a certain depth in order to produce more focused soft light. It's developed with a centre pole for achieving reflection flash, it is just like a super large diffusor for light control. It could also produce a 3D effect, bringing out the expressive characters, and eye-catching light shape on the model.



16ASB-10-LK(Φ100CM 内深/Inside depth 70cm)	16ASB-17-LK(Φ170CM 内深/Inside depth 110cm)
柔光箱(Softbox): 16ASB-10 x1pc	柔光箱(Softbox): 16ASB-17 x1pc
灯架(Light stand): LM-2900HA/B x1pc	灯架(Light stand): LM-2900HA/B x1pc
横臂杆(Cross Bar): LB-32M-A x1pc	横臂杆(Crossarm): LB-32M-A x1pc
转接环: Adaptor x1pc	转接环: Adaptor x1pc
灯架轮(Light Stand Wheel): PCA-25M x1pc	灯架轮(Light Stand Wheel): PCA-25M x1pc
包包: Bag x1pc	包包: Bag x1pc



Adaptor(8 different adaptors to select)共八款接环可选配
DBBR-X DBPF-X DBMB-X DBBW-X DBEC-X DBCOM-X DBRI-X DBFE-X



十六角柔光箱 Giant Softbox 16 Angles



16 Angeles Softbox	
16 ASB-12 Φ 1.2m(4')	16 ASB-15 Φ 1.5m(5')
16 ASB-18 Φ 1.8m(6')	16 ASB-21 Φ 2.1m(7')
16 ASB-24 Φ 2.4m(8')	



十六角柔光箱除了能像正常的影楼灯配柔光箱直射使用外，如果加了一横臂杆后便能组成为大型反射柔光箱（反光伞）使用！Giant 16 angles Softbox has 2 functions. Besides the softbox function, if flash is attached on the Boom Arm and placed in the middle of softbox facing inward, it would become a reflector.

16 Angles Softbox		
16 AR-OB9 Φ 0.9m	16 AR-OB12 Φ 1.2m	16 AR-OB15 Φ 1.5m




产品实拍/Products Display



易撑长方形柔光箱 Foldable Rectangular Softboxes

FESB系列能让你把时间花在重要的工作上! 方便, 快速的组装, 令你在任何环境中能快速进行工作。

Can you imagine setting up your softbox in 3 minutes, No matter outdoor or in studio, Foldable Softbox FESB-series save you valuable time on your job.




易撑长方形柔光箱(可换接口) Foldable Rectangular Softboxes (EX-MOUNT)	
FESB-6090(24 x 36"/60 x 90cm)	FESB-6090+HC(24 x 36"/60 x 90cm)
FESB-30150(12 x 59"/30 x 150cm)	FESB-30150+HC(12 x 59"/30 x 150cm)
FESB-80120(32 x 48"/80 x 120cm)	FESB-80120+HC(32 x 48"/80 x 120cm)

易撑方形柔光箱 Foldable Square Softboxes



易撑方形柔光箱(可换接口) Foldable Square Softboxes (EX-MOUNT)	
FESB-7575(30 x 30"/75 x 75cm)	FESB-7575+HC(30 x 30"/75 x 75cm)
FESB-9090(36 x 36"/90 x 90cm)	FESB-9090+HC(36 x 36"/90 x 90cm)

易撑八角柔光箱 Foldable Octagon Softboxes



易撑八角柔光箱(可换接口) Foldable Octagon Softboxes (EX-MOUNT)	
FEOB-8(φ32"/φ80cm)	FEOB-8+HC(φ32"/φ80cm)
FEOB-11(φ44"/φ110cm)	FEOB-11+HC(φ44"/φ110cm)

易撑雷达罩 Foldable Beauty Dish

这是可折叠的雷达罩! 从今以后, 你能把你的雷达罩放于背包中。It is true, a foldable beauty dish! Now you can put your beauty dish even in your bag pack!



易撑雷达罩(可换接口)/Foldable Beauty Dish (EX-MOUNT)	
FESR-70T/S(φ28"/φ70cm)	FESR-70T/S+HC(φ28"/φ70cm)
FESR-70T/W(φ28"/φ70cm)	FESR-70T/W+HC(φ28"/φ70cm)
FESR-85T/S(φ34"/φ85cm)	FESR-85T/S+HC(φ34"/φ85cm)
FESR-85T/W(φ34"/φ85cm)	FESR-85T/W+HC(φ34"/φ85cm)
FESR-100T-S(φ40"/100cm)	FESR-100T-S+HC(φ40"/100cm)
FESR-100T-W(φ40"/100cm)	FESR-100T-W+HC(φ40"/100cm)

聚光灯易撑柔光箱 Foldable softbox for Fresnel Light



CL1-50SB+HC(50 x 50cm, 20" x 20")
CL3-50SB+HC(50 x 50cm, 20" x 20")

CL1-50SB+HC / CL3-50SB+HC

SR-SBQH650/1000/2000/5000



SR-SBQH650



SR-SBQH1000



SR-SBQH2000



SR-SBQH5000



SB-OB12



SR-SBQH2000+SB9090



SR-SBQH+OB12+HC



SR-SBQH650+OB9	SR-SBQH650+OB12	SR-SBQH650+SB6060	SR-SBQH650+SB9090
SR-SBQH650+OB9+HC	SR-SBQH650+OB12+HC	SR-SBQH650+SB6060+HC	SR-SBQH650+SB9090+HC
SR-SBQH1000+OB9	SR-SBQH1000+OB12	SR-SBQH1000+SB6060	SR-SBQH1000+SB9090
SR-SBQH1000+OB9+HC	SR-SBQH1000+OB12+HC	SR-SBQH1000+SB6060+HC	SR-SBQH1000+SB9090+HC
SR-SBQH2000+OB9	SR-SBQH2000+OB12	SR-SBQH2000+OB15	SR-SBQH2000+SB7575
SR-SBQH2000+OB9+HC	SR-SBQH2000+OB12+HC	SR-SBQH2000+OB15+HC	SR-SBQH2000+SB7575+HC
SR-SBQH2000+SB9090	SR-SBQH2000+SB9090+HC	SR-SBQH2000+SB100100	SR-SBQH2000+SB100100+HC
SR-SBQH5000+OB12	SR-SBQH5000+OB15	SR-SBQH5000+SB9090	SR-SBQH5000+SB100100
SR-SBQH5000+OB12+HC	SR-SBQH5000+OB15+HC	SR-SBQH5000+SB9090+HC	SR-SBQH5000+SB100100+HC
SR-SBQH5000+SB120120	SR-SBQH5000+SB120120+HC		

商品兼容性 Product Compatibility SR-QH1000:CLL-1600/DLL-1600 SR-QH2000:CLL-3000/CLL-4800/DLL-3000 SR-QH5000:CLL-7500

MRH1-4/MRH1-8



MRH1-4



MRH1-4+SB6060



MRH1-8



MRH1-8+OB9



反光板系列

REFLECTOR

五合一旗板/5-in-1 Flag Panels

可选颜色：金、银、黑、白、半透明。
Gold, silver, black, white and translucent colors are available.

Model 型号	Size 尺寸
FK-2432	24 x 32"/60 x 80cm
FK-3240	32 x 40"/80 x 100cm
FK-4048	40 x 48"/100 x 120cm




Flex Reflector 反光屏

RR-3570SL/RR-5684SL

- Foldable -可折合
- 4 Fiber Rods -4 x纤维棒
- Easy Set-up Step -简易安装
- Tilting Angle From +90 to -90 Degrees -可调角度 (+90 至 -90 度)

Model 型号	Size 尺寸	Color 颜色
RR-3570GS	35 x 70"	Gold/Silver 金/银
RR-3570SL	35 x 70"	Sunlight/White 淡金/白
RR-5684M	56 x 84"	Gold Silver Stripe/White 金银条纹/白
RR-5684T	56 x 84"	Translucent 半透明
RR-5684SL	56 x 84"	Sunlight/White 淡金/白
RR-5684SB1	56 x 84"	Silver/Black 银/黑



折叠式反光板套装 Collapsible Flag Panels Kit



Model 型号	Panel 反光板	Boom supporter 横臂支撑	Boom 横臂	Cam 金属套夹	C-stand C架
CR-1015K1	1 x CR-1015SW	1 x CRA-SP32	1 x CRA-LB3120	1 x FA-033	—
CR-1520K1	1 x CR-1520SW	1 x CRA-SP32	1 x CRA-LB3120	1 x FA-033	—
CR-1015K2	1 x CR-1015SW	—	—	1 x FA-033	1 x CS-3200
CR-1520K2	1 x CR-1520SW	—	—	1 x FA-033	1 x CS-3200

折叠式反光板 Collapsible Flag Panels



Model 型号	Colour 颜色
CR-1015T / CR-1520T	Translucent 半透明
CR-1015SW / CR-1520SW	Silver/White 银/白
CR-1015GW / CR-1520GW	Gold/White 金/白
CR-1015BL / CR-1520BL	Green 绿
CR-1015GR / CR-1520GR	Blue 蓝
CR-1015MV / CR-1520MV	Gold Silver Stripe 金银条纹

CR-B1015/1520

没有中轴的设计, 可折叠的CRB系列令你控制柔光效果更具灵活性。

Without the central cross bar, our foldable CRB series offers a more flexible lighting control for you.



Model型号	Colour颜色
CR-B1015T / CR-B1520T	Translucent 半透明
CR-B1015SW / CR-B1520SW	Silver/White 银/白
CR-B1015GW / CR-B1520GW	Gold/White 金/白
CR-B1015BL / CR-B1520BL	Blue 蓝
CR-B1015GR / CR-B1520GR	Green 绿
CR-B1015MV / CR-B1520MV	Gold Silver Stripe 金银波浪纹
CR-B1015TUV / CR-B1520TUV	Translucent with UV Coating UV 半透明
CR-B1015N / CR-B1520N	Light Grid 网状
CR-B1015K1 (1 x CR-B1015, 2 x CL-35, 2 x LM-3900G/B)	
CR-B1520K1 (1 x CR-B1520, 2 x CL-35, 2 x LM-3900G/B)	

大型蜂巢屏 Gaint Grid Panel

LHC-24(2.4x2.4m) LHC-36(3.6x3.6m)



LHC-24K		LHC-36K	
LM-3900HA/B 灯架 x 2	CL-40EC 套夹 x 2	LM-3900HA/B 灯架 x 2	CL-40EC 套夹 x 2
2.4x2.4m 框 x 1	Diffusor+Grid 柔光布 x 1	3.6x3.6m 框 x 1	Diffusor+Grid 柔光布 x 1



旋转反光屏 Movable Reflector



RR-1520T

可伸缩式
Extentable

可旋转式
Rotable

RRK-1520

Model型号	Dimensions规格	Colour颜色	Remark备注
RRK-1520	60x80"/150x200cm	Black/Silver/Translucent半透明/黑/银	-
RR-1520T	60x80"/150x200cm	Translucent半透明	Reflector cloth布
RR-1520BS	60x80"/150x200cm	Black/Silver黑/银	Reflector cloth布

易撑蜂巢屏 Foldable Grid Diffusor

CR-B1520HC(1.5x2.0m)



80cm五合一反光板 CRK-80



Model型号	Dimensions规格	Colour颜色
CRK-80	φ80 cm	Gold/Silver/Black/White/Trans 金、银、黑、白、半透明




LRB-0378 (不含反光板/Does not include reflectors)

110cm五合一反光板 CRK-110



Model型号	Dimensions规格	Colour颜色
CRK-110	φ110 cm	Gold/Silver/Black/White/Trans 金、银、黑、白、半透明



专业影视灯配件

ACCESSORIES FOR
STUDIO FLASH



AELL-K01“冒险家”套装

AFLP-K01百变摄影架套装



AXSU-K01“X运动”套装

ACLI-K01小魔术软棒套装



ACLI-K02大魔术软棒套装



AFLP-K02百变摄影架套装

SGA-K9套装(SGA-K9 Kit)

K9是一款集成了两种蜂巢片，四叶片，雷达罩，柔光箱，柔光球，四色罩，束光筒，通用转接口，九种配件于一身的便携式闪光灯配件。适用于多种品牌外置闪光灯的辅助搭挡，是拍摄人物，静物，风景，产品广告的理想工具。

K9 is portable strobe accessories kit which including 2 types of honeycomb grid, barndoor, beauty dish, softbox, diffuser ball, color gels, snoot, and an universal adaptor which able to adapt to most on camera flash light. It is a perfect accessories kit you'll need for all your photography work.



转接口(Universal Adaptor)
CA-SGU



蜂巢片(HoneyComb)
SGA-HC1010-3



雷达罩蜂巢片(Beautydish honeycomb grid)
SGA-CHC1610-2H1



聚光筒(Conical Snoot)
SGA-CS



四叶片(Filter)
SGA-BD4



雷达罩(Beauty Dish)
SGA-SR173S



柔光箱(Softbox)
SGA-SB2030S



色罩(Color mask)
SGA-CF



柔光球(Globe-diffuser)
SGA-DB150

相机闪光灯柔光箱 Flash Gun Softbox



Model No 型号	Softbox Size柔光箱尺寸
ESA-2030	20 x 30cm



不包含闪光灯(Does not include flash)

3倍功率放大聚光筒 TRIPLE POWER CONICAL SNOOT
LPSA-BOT

可调焦距12-40度 3倍功率放大聚光筒
标配保荣口，可更换不同品牌卡口

锐鹰专为LED常亮灯光推出功率放大聚光筒，使用专利蜂眼聚光筒后，能大大的提升LED灯光的亮度，使用后对比使用前能有效的提高3倍左右的EV值，这有效的解决了LED常亮灯光在拍摄模特或者静物时亮度低的弱点，同时具有聚光筒的功能，调节灯光的焦距，调节灯光角度从12度-40度之间。并配有十种色片，可打光十种不同的颜色背景光。

The new LPSA-BOT conical snoot is mainly designed for LED lighting, it could dramatically increase the exposure value(EV) of about 3 times more than its original (when zoomed), which could be a good help during all types of video filming and photo shooting. it's designed with the concept of snoot for producing concentrated light projection.



使用前F22



使用后F90

机顶闪光灯2倍功率放大聚光筒 SGA-BOS

锐鹰结合蜂眼专利技术，特别为机顶闪光灯推出了SGA-BOS功率放大器配件，它通过CA-SGU配件，完美的和机顶闪光灯相结合，使闪光灯光更为集中，并提升两倍亮度，使拍出物体层次更为丰富，在远距离拍摄模特时，有时显的灯光增强效果，并同时具有聚光功能。并配有十种不同的色片，拍出不同的颜色背景光。

The SGA-BOS light extender is designed for all speedlites, it can be connected through the Falcon Eyes CA-SGU universal adaptor. It could dramatically increase the exposure value (EV) of about 2 times more than its original, which could be a good help during the photo shooting.



SGA-BOS



CA-SGU



附送十色片
(including 10 color gels)




蜂眼镜片可正反两面调换，正面：聚光 反面：散光
Bee doz fresnel lens can be use both side.
Front: Focus, Back: Flood



机顶闪光灯配件FUA-HC0609(蜂巢片 + 十色片)

Accessories for Speedlite FUA-HC0609(honeycomb grid+ 10pcs color gels)



CFA-30K 机顶闪光灯色片套装/Speedlite color gel kit

机顶闪光灯色片套装CFA-30K, 机顶闪光灯配件, 选用30种不同色彩的滤色片, 可打出不同色彩的背景光, 适合于多数品牌。闪光灯使用, 透光性95%, 色彩还原度大于93%, 模特拍摄, 产品背景拍摄等。

The Speedlite color gel kit CFA-30K is an accessories carrying 30 different color gels, which enable to recreate different background lighting in different colors. The mounting applied with Velcro tape which fit for most Speedlite models. The color gels are having 95% transparency and still provide 95% of color reproduction.



专业影视灯配件 Accessories For Studio Flash



柔光箱接环 Adapter Rings



SP-B8MHH
male:3/8" hexa.head:5/8"



SP-4M4FUR
male:3/8" female:1/4"



SP-B4M8M
male:1/4" male:3/8"



SP-4M8M
male:1/4" male:3/8"



SP-4F8F
female:1/4" female:3/8"



CBH-6
Mounting from 12-40mm
Can mount background reel



CBH-7
Mounting from 12-40mm
Pole dia 11mm



CBH-8
Mounting from 12-40mm
Pole dia 11mm



CBH-9
Hexagon stud 16x16mm



CBH-10
Mounting from 9-35mm



SP-4M8F
male:1/4" female:3/8"



SP-4F8M
male:3/8" female:1/4"



SP-S4F8M
male:3/8" female:1/4"



SP-014
Dia:17mm 3/8male



SP-1617
Dia:16mm 17mm



CBH-11
Mounting from 12-40mm



CBH-12-2
Able to hold 2pc background reel
hole 16mm



CBH-12-4
Able to hold 4pc background reel
hole 16mm



CL-22
Minimum mounting 12-45mm



CL-25
Maximum mounting 25mm
Outer stud 1/4" Dia 5/8"



CL-25S
Maximum mounting 25mm
Outer stud 1/4"



FA-018
female:1/4"



FA-019
female:3/8"



FA-033B
(Dia8 16 19 25mm)



FA-029A(3KG)



FB-029B(2KG)



CL-25U
Maximum mounting 25mm



CL-35
Mounting from 9-35mm
Dia 5/8" Outer stud 1/4"



CL-35F
Mounting from 9-35mm
hole 16mm



CL-35H
Mounting from 9-35mm



CL-35L
Mounting from 4-35mm



FA-033
(Dia8 16 19 25mm)



FA-033A
Dia:8,16,19,25mm+Dia40-50mm



FA-012
Hexagon stud 16 x 16mm



FA-013
1 hook background wall mount



FA-024A-3
3 hooks background wall mount



CL-35M
Mounting from 9-35mm
Outer stud 1/4" & 3/8"



CL-35S
Mounting from 9-35mm
Outer stud 1/4"



CL-35U
Mounting from 9-35mm



CL-35AL
Mounting from 4-38mm
Inner stud 1/4"



CL-35FL
Mounting from 4-35mm
hole 16mm



FA-024A-4



FA-024-3



FA-024-3+CL-40
Maximum mounting 40mm



FA-024-4+CL-40
Maximum mounting 40mm



FA-027A
height:60mm Φ5/8"



FA-002



CL-38M
Hot Shoe:18 x 18mm



CL-40
Mounting from 12-40mm



CL-40F
Mounting from 12-40mm
Inner Dia 16mm



CL-40-I
Mounting from 12-40mm
Outer stud 1/4"



FA-027B
height:120mm Φ5/8"



FA-027C
height:160mm Φ5/8"



FA-030



MBH-700S
Base mount: 80x80mm+Dia 5/8"
Outer stud 1/4"



MBH-700
Base mount: 80x80mm
hole 16mm



CLD-40
Mounting from 12-40mm




CL-40B
Mounting from 12-40mm
hot shoe



CL-C35



CL-55



CL-65



CBH-1
Mounting from 9-35mm
Pole dia 11mm



CBH-2
Mounting from 9-35mm
Pole dia 11mm



CBH-3
Mounting from 9-35mm
Can mount background reel



CBH-4
Maximum mounting 25mm



CBH-5



CL-CLIP
Stud dia 5/8"+Outer stud1/4"



CL-CLIP2
Stud dia 5/8"+Outer stud1/4"



CL-CLIP2H
Hot Shoe:18 x 18mm



CL-CLIP5
with hot shoe



CL-CLIP5H
Hot Shoe:18 x 18mm



CL-40EC
(Dia:25 28 32 36mm)



EC-28/32
(Dia:19 22 25 28mm)
(Dia:16 22 28 31.5mm)



EC-28H
(Dia:19 22 25 28mm)



EC-36MCL
(Dia:25 28 32 36mm)



EC-36M
(Dia:25 28 32 36mm)




SPR-200B-4
Hole 16mm



F-30
Hole 16mm



F-30D
Hole 16mm



TT-200
Outer stud 1/4"



JCL-01L
extension:200mm baby pin 5/8"



CLD-12
Inner Dia 16mm



CLD-14
Inner Dia 16mm



CLD-14A+HS-20M
Inner Dia 16mm



CLD-15
Inner Dia 16mm



CLD-16
Inner Dia 16mm



Metal 金属

JCL-01M
extension:80mm baby pin5/8"



JCL-01S
extension:60mm baby pin5/8"



MB-170L 17cm
hexagon dia16 x 16mm



MB-170T 17cm
hexagon dia16 x 16mm + 5/8"



MB-170M 17cm
hexagon dia16 x 16mm



CLD-35
Mounting from 9-35mm



TB-U2A
Square Screw 22 x 22mm, hole16mm



TB-U8
Outer stud 3/8" hole16mm



TB-360
Inner Dia:16mm



RAH-35
Dia:28mm hole16mm



MB-250S
Φ19mm length: 25cm 1/4" & 3/8"



MB-600D
Φ16-19mm length: 37-60cm
1/4" & 3/8"



MB-950T
Φ16-19-22mm length: 42-95cm
1/4" & 3/8"



MB-400S 40cm
Connecting staud 16mm



MB-560S 56cm
Connecting staud 16mm



MC-35T
Minimum mounting 12-55mm



HS-20M



SH-17M
Outer stud 1/4"



SHD-17B



SP-MRH-C
Hole:16mm



HS-68M
Triple hot shoe adapter
Inner stud 1/4"



SW-1A300
Length:300mm,Hole:16mm
Outer stud 1/4"



SW-2A500
Length:500mm,Hole:16mm
Outer stud 1/4"



SW-3A800
Length:800mm,Hole:16mm
Outer stud 1/4"



TMB-16T
Outer stud 1/4"
83mm
170mm
110mm
105mm



TMB-20B
Outer stud 1/4"
200mm
30mm



TMB-20Z
Outer stud 1/4"
85mm
195mm
72mm



TMB-20L
Outer stud 1/4"
155mm
85mm



TMB-29Z
Outer stud 1/4"
80mm
140mm



TMB-30D
Outer stud 1/4"
300mm
30mm



手机支架 (仅配RLE-322VC)
Mobile phone holder



SA1-BD
For SA1 only



SA2-BD
For SA2 only



SA1-S4
For SA1/SA2 only



SA1/SA2-U
For SA1/SA2 only



NCPG-30S+CL-35FL
53cm



NCLG-30+CL-35F
53cm



VCLG-30CL
32cm



NMBG-48M
54cm 1/4"male 3/8"male



NMBG-48T
54cm 1/4"female 3/8"female



NMBG-8M8T
54cm 3/8"female 3/8"female



PBG-280M4-H
28cm 1/4 or 3/8 + Hot Shoe



PBG-280-DM
28cm 1/4 or 3/8



PBD-280DM
56cm 1/4 or 3/8



PBG-280DM-H
56cm 1/4 or 3/8 + Hot Shoe



FB-0081-3
T=30mm,Φ28-30mm+Φ42-50mm



FB-002-3
T=30mm,Φ28-35mm
M8 x 30mm



FB-003-3
T=30mm,Φ28-35mm
Length:70mm,Φ5/8"



FB-004-3
T=30mm,Φ28-35mm Length:55mm
Dia:28mm Inner Dia:16mm



FB-005-3
T=30mm,Φ28-35mm
Length:30mm,hexagon dia:16 x 16mm



FB-005-5
T=50mm+Φ28-35mm
Length:30mm,hexagon dia:16 x 16mm



FB-006-3
T=30mm,Φ28-35mm



FB-006-5
T=50mm,Φ28-35mm



FB-007-3
T=30mm,Φ28-35mm



FB-007-5
T=50mm,Φ28-35mm+Φ28-35mm



FB-008-3
T=30mm,Φ28-35mm+Φ28-35mm



FB-088-5
T=50mm,Φ42-50mm+Φ42-50mm



FB-011-3
T=30mm,Φ42-50mm



FB-022-3
T=30mm,Φ42-50mm
M8 x 27mm



FB-033-3
T=30mm,Φ42-50mm
Length:30mm,hexagon dia:16 x 16mm



FB-033-5
T=50mm,Φ42-50mm
Length:80mm,Φ5/8"



FB-044-3
T=30mm,Φ42-50mm Length:53mm
Dia:28mm Inner Dia:16mm



FB-044-5
T=50mm,Φ42-50mm Length:75mm
Dia:28mm Inner Dia:16mm



FB-055-3
T=30mm,Φ42-50mm Length:30mm
hexagon dia:16 x 16mm



FB-055-5
T=50mm,Φ42-50mm
Length:30mm hexagon dia:16 x 16mm



FB-066-3
T=30mm,Φ42-50mm



FB-066-5
T=50mm,Φ42-50mm



FB-077-3
T=30mm+Φ42-50mm



FB-088-5
T=50mm+Φ28-35mm



FB-088-3
T=30mm,Φ42-50mm+Φ42-50mm



FB-880-5
(50mm,Φ28-35mm)+(Φ28-35mm)



FB-099-3
(30mm,Φ42-50mm)
extension: 12.5mm



FB-099I-5
(50mm,Φ42-50mm)
extension: 12.5mm



BH-2
Inner stud1/4" Outer stud1/4"



HP-3
Inner stud3/8" Outer stud1/4"



MHS-01
Inner stud1/4"
Outer stud1/4"+Hot Shoe



MPH-3
Inner stud1/4" Outer stud1/4"



MPH-5HS
Inner stud1/4"+Hot Shoe



MPH-5/B
Inner stud1/4"
Outer stud1/4"+Hot Shoe



SWH-1
Inner stud1/4"
Dia:28mm Inner Dia:16mm



MPH-1
Inner stud1/4" Outer stud1/4"



MPH-2
Inner stud1/4" Outer stud1/4"



MPH-2B
Inner stud1/4"
Outer stud1/4"+Hot Shoe



MPH-2C
Inner stud1/4" Outer stud1/4"



SP-034S
Inner stud1/4" Outer stud1/4"



MSW-2A350
Length:190mm Inner stud1/4"
Outer stud1/4"+Hot Shoe



MSW-2A450
Length:300mm Inner stud1/4"
Outer stud1/4"+Hot Shoe



MSW-2A460
Length:300mm Inner stud1/4"
Outer stud1/4"+Hot Shoe



MP-155A
Length:155mm Outer stud1/4



MP-155B
Length:155mm baby pin5/8"



HST-6M
Inner stud M6 x20mm



HST-6S
Inner stud M6 x15mm



HST-8FL
Inner stud 3/8 x23mm



HST-8L
Inner stud M8 x23mm




HST-8M
Inner stud M8 x20mm




HST-8S
Inner stud M8 x15mm



HST-M8FL
Inner stud 3/8" x25mm



HST-M8ML
Inner stud M8 x25mm



LST-8AM30
Outer stud M8 x 30mm



LST-8AM50
Outer stud M8 x 50mm



MST-6AM25
Outer stud M6 x 25mm



MST-6AM30
Outer stud M6 x 30mm



MST-6F
Inner stud M6 x25mm



Si-6BM35
Outer stud M6 x 35mm



SST-5BF
Inner stud M5 x15mm



SST-6AF
Inner stud M6 x15mm



SST-6BF
Inner stud M6 x15mm



SST-6BM15
Outer stud M6 x 15mm



SST-6BM20
Outer stud M6 x 20mm



UST-4AM10
Outer stud M4 x 10mm



UST-4AM15
Outer stud M4 x 15mm



UST-4AM20
Outer stud M4x 20mm



XST-8AF
Inner stud M8 x20mm

